

Technical Data Sheet	Title: 0022 Hazard	 BRUCE DOUGLAS MARKETING
Effective Date: Feb 2020	Prepared By: Sam Murphy	
Issue Number: 7	Authorised By:	

Product Description

Heavy duty PVC film coated with an aggressive rubber pressure sensitive adhesive.

Applications

Ideal for marking hazardous obstacles, steps, walkways and sport arenas.

For best results leave for a minimum of 2 hours before allowing heavy foot traffic.

Features & Benefits

Excellent conformability

Flexible

Water resistant

Good abrasion resistance

Applied by hand or machine

Technical Performance

Description	Units	Value	Test Method
Total thickness	mm	0.15±0.01	GB7125-1999
Peel adhesion	N/cm	≥1.5	GB2792-1998
Elongation at break	%	≥130	GB7753-1987
Tensile strength	N/cm	≥20	GB7753-1987
Application Temp	°c	≥-20	-
Heat resistance	° c/min	-12 to 80	-

Declaration of Conformity Information

REACH SVHC Status – NO SHVC present according to candidates list of the **UK 25/06/20 & EU 08/07/21**

RoHS Compliance Status – Yes

Storage Details

Shelf life recommended 18 months from date of despatch at the moderate temperature and humidity environment.

The information supplied is accurate to the best of Bruce Douglas Marketing's knowledge and is based upon all current data available to it. Properties quoted are typical and do not therefore constitute a specification. Customers must complete their own assessment of the product for its intended application under their own conditions. Our technical advice is to be regarded as an expression of opinion only and although such advice is given in good faith, it shall not, in any circumstances, be regarded as the basis of or as being a representation or statement of fact. This applies also where propriety or protective rights of third parties are involved. Any liability arising in respect of our products will be strictly limited to the value of those products charged to the customer and shall not extend to any consequential loss whatsoever and howsoever arising. This document does not form part of any contract with a customer (02/05/13)