

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supersedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against Not to be used in production of toys or childcare articles

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited
Common Rd
ST16 3EH
Stafford UK
Tel: +44 (1785) 27 26 25
Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal Word

No signal word

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children
P280 - Wear protective gloves and eye/face protection

2.3. Other Hazards

General Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supercedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	934-956-3	--	>25 - <40	Asp. Tox. 1 (H304)		01-2119827000-58-XXXX
Zinc pyrithione	236-671-3	13463-41-7	0.01 - <0.1	Eye Dam. 1 (H318) Acute Tox. 3 (H301) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		01-2119511196-46-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If medical advice is needed, have product container or label at hand. If symptoms persist, call a doctor.
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.
Skin Contact	Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/ attention.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a doctor.
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a doctor.
Self-Protection of the First Aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supersedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimise spreading. Pick up and transfer to properly labelled containers.

6.4. Reference to other sections

Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supersedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical Name	European Union	Ireland	United Kingdom
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 260 mg/m ³ S*	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 600 ppm STEL: 780 mg/m ³ Skin	STEL: 250 ppm STEL: 333 mg/m ³ TWA: 200 ppm TWA: 266 mg/m ³ Skin

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection

Tight sealing safety goggles.

Skin and Body Protection

Suitable protective clothing.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid
Appearance Paste
Colour Clear
Odour Characteristic
Odour Threshold No information available

Property

Values

Remarks • Method

pH No information available
Melting point / freezing point No information available
Boiling point / boiling range No information available
Flash Point No information available
Evaporation Rate No information available
Flammability (solid, gas) No information available
Flammability Limit in Air
Upper flammability limit: No information available
Lower flammability limit: No information available
Vapour Pressure No information available
Vapour Density No information available
Relative Density 0.94
Water Solubility Insoluble in water
Solubility in Other Solvents No information available
Partition Coefficient No information available

Not applicable for liquids

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supersedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

Autoignition Temperature	No information available
Decomposition Temperature	No information available
Explosive Properties	No information available
Explosive Limits	No information available
Upper	No information available
Lower	No information available
Oxidising Properties	No information available
Kinematic Viscosity	> 50 mm ² /s @ 40°C
Dynamic Viscosity	No information available

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Density	No data available
Bulk Density	No data available
VOC content (%)	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation

Based on available data, the classification criteria are not met.

Eye contact

Based on available data, the classification criteria are not met.

Skin Contact

Based on available data, the classification criteria are not met.

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supersedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

Ingestion Based on available data, the classification criteria are not met.
Sensitisation No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation Not applicable.
Serious eye damage/eye irritation Not applicable.
Sensitisation Not applicable.
Germ Cell Mutagenicity Not applicable.
Carcinogenicity Not applicable.
Reproductive Toxicity No information available.
STOT - Single Exposure No information available.
STOT - Repeated Exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (dermal) 34,222.00 mg/kg

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics --	LD50 > 5000 mg/kg (rat) OECD 401	LD50 > 3160 mg/kg (rabbit) OECD 402	LC50 Inhalation(4h) >5266 MG/M3 Rat

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics --	EL50 (72h) >10,000 mg/L (Skeletonema costatum) ISO 10253	LL50 (96h) > 1028 mg/L (Scophthalmus maximus) OECD 203	LL50 (48h) > 3193 mg/l (Acartia tonsa)	
Zinc pyrithione 13463-41-7	-	-	EC50 (48h) =0.038 mg/L Crustaceans (Ilyocypris dentifera)	100

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supersedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

IMDG

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supercedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

14.4 Packing Group Not regulated
14.5 Environmental Hazard Not applicable
14.6 Special Provisions None

ICAO (air)

14.1 UN/ID no Not regulated
14.2 Proper Shipping Name Not regulated
14.3 Hazard Class Not regulated
14.4 Packing Group Not regulated
14.5 Environmental Hazard Not applicable
14.6 Special Provisions None

IATA

14.1 UN/ID no Not regulated
14.2 Proper Shipping Name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing Group Not regulated
14.5 Environmental Hazard Not applicable
14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No	Restrictions on use
Diisononyl phthalate	28553-12-0	52[a].

52 . Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

None

Safety Data Sheet

EVO-STIK MULTI PURPOSE SILICONE SEALANT CLEAR
Supersedes Date: 29-Mar-2018

Revision Date 29-Mar-2018
Revision Number 1

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H318 - Causes serious eye damage
H301 - Toxic if swallowed
H331 - Toxic if inhaled
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H304 - May be fatal if swallowed and enters airways

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals		
STOT (RE):	Specific target organ toxicity - Repeated exposure		
STOT (SE):	Specific target organ toxicity - Single exposure		
EWC:	European Waste Catalogue		

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 29-Mar-2018

Indication of changes

Revision Note Not applicable.

Training Advice No information available

Further information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet