



Meguiar's USA
17991 Mitchell South
Irvine, CA 92614
Tel: 949-752-8000
Fax: 949-752-5784

In case of **emergency or spill**, contact CHEMTREC at 800-424-9300

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Name: G70 - Gold Class Liquid Wax

Print date: 01/21/2010

Reference Number: 21-41B

Prepared Date: 08/27/2009

Use of the Substance/Preparation

Recommended use: Wax emulsion

Company/Undertaking Identification

Meguiar's Holland
Laan der Verenigde Naties 40
33174 DA Dordrecht
Holland
Tel: 31-78-6210268

Meguiar's Hong Kong
Suite 6-7, 20/F Marina House
68 Hing Man Street
Shaukeiwan
Hong Kong
Tel: 852-2967-0202

Meguiar's France
3 rue de Verdun - Bât. D
78590 Noisy Le Roi
France
Tel: 33-1-30-80-02-16

Meguiar's UK Ltd.
3 Lamport Court
Heartlands
Daventry NN11 8UF
Tel: 0870 241 6696
Fax: 01327 300 116

2. HAZARDS IDENTIFICATION

Most important hazards: This product contains chemicals listed on Canada WHMIS. See Section 15.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients

Components	CAS #	% Weight	OSHA PEL TWA	EINECS No.	Classification
Calcined Kaolin Clay	66402-68-4	5-15	10mg/m ³	266-340-9	Xi; R38
Isoparaffinic Hydrocarbon	64742-47-8	2-10	None	265-149-8	Xn; R65
Isoparaffinic Hydrocarbon	64742-48-9	4-12	None	265-150-3	Xn; R-65
Hydrotreated Distillate	64742-46-7	1-5	None	265-148-2	265-148-2

4. FIRST AID MEASURES

General Advice: In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Inhalation: Prolonged or intentional exposure to high concentrations may cause respiratory track irritation. Move to fresh air. Consult a physician.

Skin contact:	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
Eye contact:	Flush eye(s) immediately with plenty of water. If symptoms persist, call a physician
Ingestion:	Drink plenty of water. Do not induce vomiting. Consult a physician if necessary.

5. FIRE-FIGHTING MEASURES

NFPA:

Health: 1

Flammability: 1

Reactivity: 0

Suitable extinguishing media:

Use dry chemical, CO₂, water spray or alcohol-resistant foam.

Specific hazards:

Not applicable

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons:

Not applicable

Specific methods:

Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Ensure adequate ventilation.

Environmental precautions:

Do not contaminate surface water. Prevent further leakage or spillage. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up:

Package all material in plastic, cardboard or metal containers for disposal in compliance with the environment protection (duty of care) regulations 1991.

7. HANDLING AND STORAGE

Handling:

Technical measures/precautions:

Use only in area well ventilated area

Safe handling advice:

None under normal processing

Storage:

Store at room temperature in the original container. Do not freeze.

Incompatible products:

Do not store together with acids or oxidizers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:	Ensure adequate ventilation..
Respiratory protection:	No personal respiratory protective equipment normally required.
Skin and body protection:	No special precautions required..
Eye protection:	Avoid contact with eyes. If splashes are likely to occur, wear:. Goggles.
Hand protection:	Preventative skin protection: Neoprene gloves recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Appearance: Liquid
Color: Gold

Physical state: Liquid
Odor: Mild Sweet

Important Health Safety and Environmental Information

pH @70° F:	8.00	
Flash point:	200 (°F), 93 (°C)	Method: PMCC-ASTM D93-90
Boiling point/range:	212 (°F), 100 (°C)	
Water Solubility:	Slightly soluble	
Vapor density:	>1	
Specific gravity:	1.00	
Evaporation rate:	<1	
VOC content:	14% max.	

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Polymerization:	None under normal processing.
Conditions to avoid:	Extremes of temperature and direct sunlight
Materials to avoid:	Strong acids and oxidizing agents
Hazardous decomposition products:	None under normal use

11. TOXICOLOGICAL INFORMATION

Component Information

Additional Information:	The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
--------------------------------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Information

Aquatic toxicity: No information available

Component Information

Ecotoxicity effects: Not determined

Components	Ecotoxicity - Freshwater Algae	Exotoxicity - Microtox
Calcined Kaolin Clay 66402-68-4	= 30 ug/L 96 Hr EC50 freshwater algae (Selenastrum capricornutum)	

13. DISPOSAL CONSIDERATIONS**Waste from residues / unused products:**

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging:

Disposal must be made according to local and federal regulations.

Ewc waste disposal no:

Not applicable

Further information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

14. TRANSPORT INFORMATION**General Transportation Statement**

This product does not require classification by DOT, IATA, ICAO or IMDG.

Other information:

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity-specific shipping requirements.

15. REGULATORY INFORMATION

Components	TSCA	DSL/NDSL	Canada - WHMIS Classification
Calcined Kaolin Clay 66402-68-4	Present	Present	B4;D2B
Isoparaffinic Hydrocarbon 64742-47-8	Present	Present	
Isoparaffinic Hydrocarbon 64742-48-9	Present	Present	
Hydrotreated Distillate 64742-46-7	Present	Present	

CERCLA/SARA 313 Emission reporting

None

16. OTHER INFORMATION**Prepared by:**

Health & Safety

Literary reference:

None

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

End of Safety Data Sheet