SAFETY DATA SHEET

Product Name: LEAD ACID BATTERY Issue Date: 09/05/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

PRODUCT NAME: LEAD ACID BATTERY

Nominal Voltage: 12V

Typical Capacity: 17Ah, 204Wh

Weight: 2.7Kg

APPLICATIONS: For Stock No.

70553 12V 800A JUMP STARTER70554 12V/24V 3000A JUMP STARTER

SUPPLIER: Draper Tools Ltd

Hursley Road Chandlers Ford Eastleigh Hampshire SO53 1YF

Draper Helpline +44 (0) 2380 494344 Opening hours 8:30-17:00 Monday – Friday.

www.drapertools.com

SECTION 2: Hazards identification

Classification

No harm at the normal use. If contact the Electrolyte liquid in the LEAD ACID BATTERY, reference as follows:

Classification of the sub stance or mixture

Classification according to GHS

Acute Toxicity, Oral (Hazard category 4)

Acute Toxicity, Dermal (Hazard category 3)

Skin, irritate (Category 1B) Eye Irritate (Hazard category 1)

GHS Label elements, including precautionary statements:



GHS02

GHS05



GHS06

Signal word: Warning Hazard statement(s):

H242: Heating may cause a fire; **H311:** Toxic in contact with skin;

H314: Causes severe skin burns and eye damage;

H302: Harmful if swallowed; precautionary statements:

Prevention:

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312: Call a Poison centre or doctor/physician if you feel unwell.

P302+P350-IF ON SKIN: Gently wash with plenty of soap and water.

P301+P330+P331-IF SWALLOWED: rise mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

None

Disposal

P501: Dispose of contents/container in accordance with local/national regulations

Hazards not otherwise classified (HNOC)

Not Applicable

Other information

No information available.

SECTION 3: Composition/information on ingredients

Chemical characterisation: Mixtures

Description:

Product: Consisting of the following components.

Common Chemical Name	Concentration (%)	CAS Number	EC No.	
Lead	62	7439-92-1	231-100-4	
Dilute sulfuric acid	25	7664-93-9	231-639-5	
ABS plastic shell	9	25155-30-0	246-680-4	
Glass spheres	4	65997-17-3		

Note: CAS number is Chemical Abstract Service Registry Number.

N/A=Not apply.

SECTION 4: First aid measures

First aid measures

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician

Skin Contact: Remove contaminated clothing and shoes. W ash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation: Move to fresh air. If symptoms persist, call a physician.

Ingestion: Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed.

Swallowing: Do not induce vomiting. Get medical attention.

Most Important Symptoms/Effects: No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting measures

Suitable Extinguishing Media

CO2, dry chemical powder, water spray.

Unsuitable Extinguishing Media: No information available.

Specific Hazards Arising from the Chemical

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide

Other irritating and toxic gases.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact: No Sensitivity to Static Discharge: No

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. For example: Wear self-contained respiratory protective device. Wear suitable protective clothing and eye/face protection.

Special hazards arising from the substance or mixture:

Battery may burst and release hazardous decomposition products when exposed to a fire situation.

SECTION 6: Accidental release measure

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Refer to section 8 for personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate pers onnel to safe areas.

Environmental precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up: Use personal protec tive equipment. Dam up. Cover liquid spill with sand, earth or other Non combustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

SECTION 7: Handling and storage

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

Wash thoroughly after handling. Use this material with adequate ventilation.

The product is not explosive.

Condition s for safe storage, including any incompatibilities

If the LEAD ACID BATTERY is subject to storage for such a long term as more than 3 months, it is recommended to recharge the LEAD ACID BATTERY periodically.

3 months: -10°C~+40°C, 45 to 85%RH

And recommended at 0°C~+35°C for long period storage.

The capacity recovery rate in the delivery state (50% capacity of fully charged) after storage is assumed to be 80% or more.

The voltage for a long time storage sha II be 10.5V~14.4V range.

Do not storage LEAD ACID BATTERY haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.

Keep out of reach of children.

Do not expose LEAD ACID BATTERY to heat or fire. Avoid storage in direct sunlight.

Do not store together with oxidizing and acidic materials.

Keep ignition sources away- Do not smoke.

Store in co ol, dry and well-ventilated place.

Incompatible Products None known.

SECTION 8: Exposure controls/personal protection

Control parameters

Control paramotors		
Ingredients with limit values that require monitoring at the workplace:		
N/A		
TLV (USA)	N/A	
MAK (Germany)	N/A	

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations

Ventilation systems

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/Face Protection:



Tightly sealed goggles

Body protection:

Protective work clothing.

Skin protection:



Protective gloves

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

Physical State	Form: Prismatic				
	Color: Black				
	Odour: Odourless				
	Odor Threshold: No information available				
Change in condition:		Not determined.			
pH, with indication of the concentration		Not determined.			
Melting point/freezing point		Not determined.			
Initial boiling point and B oiling range:		Not determined.			
Flash Point		Not determined.			
Evaporation rate		Not determined.			
Flammability (solid, g	as)	Not determined.			
Upper/lower flammability or explosive limits		Not determined.			
Vapor Pressure:		Not determined.			
Vapor Density:		Not determined.			
relative densit y:		Not determined.			
Solubility in Water:		Not determined.			
Solubility in other solvents		Not determined.			
n-octanol/water partition coefficient		Not determined.			
Auto-ignition temperature		Product is not self-igniting.			
Decomposition temperature		Not determined.			
Odout threshold		Not determined.			
Evaporation rate		Not determined.			
Viscosity		Not determined.			
Other Information		No further relevant information available.			

SECTION 10: Stability and reactivity

<u>Reactivity:</u> Stable under recommended storage and handling conditions (see section 7, Handling and storage).

Chemical stability: Stable under normal conditions of use, storage and transport.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of Hazardous Reactions: None under normal processing.

<u>Hazardous Polymerization:</u> Hazardous polymerization does not occur.

Conditions to avoid: Strong heating, fire, Incompatible materials.

Incompatible materials: Strong oxidizing agents. Strong acids. Base metals.

<u>Hazardous Decomposition Products:</u> Carbon oxides, Other irritating and toxic gases.

SECTION 11: Toxicological information

Acute toxiciy: No data available.

LD/LC50 values relevant for classification:		
Not available.		

Skin corrosion/irritation: No irritant effect.

Serious eye damage/irritation: Cause serious eye irritation. Respiratory or skin sensitization: No sensitizing effects known. Specific target organ system toxicity: No information available.

CMR effects(carcinogenity, mutagenicity and toxicity for reproduction): No information available.

SECTION 12: Ecological information

Toxicity:

Acquatic toxicity:

No further relevant information available.

Persistence and degradability: No further relevant information available. Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation: Must not be disposed together with household garbage.

Do not allow product to reach sewage system

Uncleaned packaging:

Recommendation: Disposal must be made accordin g to official regulations.

SECTION 14: Transport information

The Lead Acid battery had been tested according to the requirements of the UN manual of tests and Criteria, Part III, subsection SP238;

The Lead acid batteries according to PACKING INSTRUCTION 870, of the 2019 Dangerous Goods regulations 60th Edition may be transported.

The packaging shall be adequate to avoid mechanical dam age during transport, handling and stacking. The materials and pack design shall be chosen so as to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.

According to the Packing Instruction of IATA DGR 60th Edition for transportation.

Meets requirements of International Maritime Dangerous Goods (IMDG)-2017 Special Provision 238 to be transported as non-dangerous goods;

Meets the requirements of 49CFR to be transported as non-dangerous goods for road, rail, air, and vessel. Meets the requirements of TDG to be transported as non-dangerous goods.

The package must be handled with care and that a flammability hazard exists if the package is damaged; UN number: UN2800:

UN Proper shipping name/Description (technical name): Lead acid batteries or Lead acid batteries contained in equipment or Lead acid batteries packed with equipment;

UN Classification (Transport hazard class): 8;

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation:

Authorisations: No information available. **Restrictions on use:** No information available.

Regulatory information

CAS No.	EU	US	Japan	Canada	Australia	Korea	China
	(EINECS)	(TSCA)	(ENCS)	(DSL/	(AICS)	(ECL)	(IECSC)
				NDSL)			
7439-92-1	Listed	Not Listed	Not Listed	NDSL	Not Listed	Not Listed	Not Listed
7664-93-9	Listed	Listed	Listed	DSL	Listed	Listed	Listed
25155-30-0	Listed	Listed	Listed	DSL	Listed	Listed	Listed
65997-17-3	Not Listed	Listed	Not Listed	DSL	Listed	Listed	Listed

Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Transportation regulations

IATA Dangerous Goods Regulations 60th Edition (IATA DGR 60th), effective January 1,2019 International Maritime Dangerous Good Code (IMDG CODE 38-16), effective January 1,2017 International Carriage of Dangerous Goods by Road (ADR 2017), effective January 1,2017 International Carriage of Dangerous Goods by Rail (RID 2019), effective January 1,2019

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

R20/22: Harmful by inhalation and if swallowed.

R36: Irritating to eyes. H302: Harmful if swallowed. H332: Harmful if inhaled.