

### SAFETY DATA SHEET B572

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

Product name B572  
Container size 50ml bottle 65ml accordian 250ml bottle

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.

##### 1.3. Details of the supplier of the safety data sheet

Supplier BONDLOC UK LTD  
UNIT 2 BEWDLEY BUSINESS PARK  
LONG BANK  
BEWDLEY  
WORCESTERSHIRE  
DY12 2TZ  
01299 269269  
01299 269210  
sales@bondloc.co.uk

##### 1.4. Emergency telephone number

+44 (0)1299 269269 Monday - Friday 09:00-17:00 hrs

##### National Emergency Telephone Number

+44 (0)1299 269269 Mon-Fri 09:00-17:00hrs

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical and Chemical Hazards Not classified.  
Human health Eye Irrit. 2 - H319;Skin Sens. 1 - H317  
Environment Not classified.

###### Classification (1999/45/EEC)

Xi;R36. R43.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

##### 2.2. Label elements

Contains 2-HYDROXYPROPYL METHACRYLATE

Label In Accordance With (EC) No. 1272/2008



Signal Word Warning

###### Hazard Statements

H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

###### Precautionary Statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P313 Get medical advice/attention.  
P501 Dispose of contents/container to ...

###### Supplementary Precautionary Statements

P272 Contaminated work clothing should not be allowed out of the workplace.  
P261 Avoid breathing vapour/spray.

**B572**

P264	Wash contaminated skin thoroughly after handling.
P321	Specific treatment (see medical advice on this label).
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P337	If eye irritation persists:
P363	Wash contaminated clothing before reuse.

**2.3. Other hazards**

This product does not contain any PBT or vPvB substances.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures**

<b>1-ACETYL-2-PHENYLHYDRAZINE</b>		<b>&lt; 1%</b>
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335		Classification (67/548/EEC) Xn;R22. Xi;R36/37/38. R43.
<b>2-HYDROXYPROPYL METHACRYLATE</b>		<b>5-10%</b>
<b>CAS-No.: 27813-02-1</b>	<b>EC No.:</b>	
Classification (EC 1272/2008) Eye Irrit. 2 - H319 Skin Sens. 1 - H317		Classification (67/548/EEC) Xi;R36. R43.
<b>CUMENE</b>		<b>&lt; 1%</b>
<b>CAS-No.: 98-82-8</b>	<b>EC No.: 202-704-5</b>	
Classification (EC 1272/2008) Flam. Liq. 3 - H226 STOT SE 3 - H335 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		Classification (67/548/EEC) R10 Xn;R65 Xi;R37 N;R51/53
<b>CUMENE HYDROPEROXIDE</b>		<b>&lt; 1%</b>
<b>CAS-No.: 80-15-9</b>	<b>EC No.: 201-254-7</b>	
Classification (EC 1272/2008) Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Corr. 1B - H314 STOT SE 3 - H335 STOT RE 2 - H373 Aquatic Chronic 2 - H411		Classification (67/548/EEC) O;R7 T;R23 C;R34 Xn;R21/22,R48/20/22 N;R51/53

POLYETHYLENE GLYCOL 200 DIMETHACRYLATE		10-30%
CAS-No.:	EC No.:	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36/38.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### **Inhalation**

Move to fresh air. If symptoms persist, seek medical advice

#### **Ingestion**

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting Seek medical advice

#### **Skin contact**

Rinse with running water and soap Seek medical advice

#### **Eye contact**

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary

### 4.2. Most important symptoms and effects, both acute and delayed

#### **Skin contact**

Prolonged or repeated contact may cause skin irritation Prolonged or repeated contact may cause eye irritation

#### **Eye contact**

Irritation, conjunctivitis

### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Extinguishing media**

Carbon dioxide, foam, powder

#### **Unsuitable extinguishing media**

Not known

### 5.2. Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) can be released. Oxides of carbon, oxides of nitrogen, irritating organic vapors

#### **Specific hazards**

Oxides of: Carbon. Nitrogen. Irritating organic vapors Sulphur oxides

### 5.3. Advice for firefighters

#### **Special Fire Fighting Procedures**

Water spray should be used to cool containers.

#### **Protective equipment for fire-fighters**

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Provide adequate ventilation.

### 6.2. Environmental precautions

Prevent entry into drains.

### 6.3. Methods and material for containment and cleaning up

For small spills wipe up with a paper towel and place in container for disposal For large spills absorb onto inert absorbant material and place in sealed container for disposal . Dispose of contaminated material as waste according to section 13

**6.4. Reference to other sections**

See advice in section 8

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling**

Use only in well ventilated areas Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation Do not eat, drink or smoke when using the product. Wash hands before work breaks and after finishing work. Good industrial hygiene practices should be observed

**7.2. Conditions for safe storage, including any incompatibilities**

Store in original containers at 8-21°C (46.4-69.8 °F) and do not return residual materials to containers as contamination may reduce shelf life of the bulk product

**7.3. Specific end use(s)**

Adhesive

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
CUMENE	WEL	25 ppm(Sk)	125 mg/m3(Sk)	50 ppm(Sk)	250 mg/m3(Sk)	

WEL = Workplace Exposure Limit.

**Biological Limit Values**

none

**8.2. Exposure controls****Respiratory equipment**

Use only in well ventilated areas

**Hand protection**

Use gloves approved to BS EN 364 Chemical Resistant Gloves. Suitable materials for short-term contact or splashes (recommended: at least protection index2, corresponding to >30 minutes permeation time as per EN 374): nitrile rubber (NBR;>=0.4mm thickness) Suitable materials for longer, direct contact (recommendation: protection index 6, corresponding to >480 minutes permeation time as per EN 374): nitrile rubber (NBR;>=0.4mm thickness) This information is based on literature references and on information provided by the glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

**Eye protection**

Wear approved safety goggles.

**Skin protection**

Wear apron or protective clothing in case of splashes.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Paste
<b>Colour</b>	White / off-white.
<b>Odour</b>	Alcohol-like
<b>Solubility</b>	Not miscible
<b>Initial boiling point and boiling range</b>	
	Not determined.
<b>Melting point (°C)</b>	
	Not available.
<b>Vapour density (air=1)</b>	Not available. 1.25 g/cm <sup>3</sup>
<b>Vapour pressure</b>	<0.5 mm Hg 20
<b>Evaporation rate</b>	
	Not available.
<b>pH-Value, Conc. Solution</b>	Not available. 3-6
<b>Viscosity</b>	
	Not available.

**Decomposition temperature (°C)**

Not available.

**Odour Threshold, Lower**

Not available.

**Odour Threshold, Upper**

Not available.

**Flash point**

&gt; 100

**Auto Ignition Temperature (°C)**

Not available.

**Flammability Limit - Lower(%)**

Not applicable.

**Flammability Limit - Upper(%)**

Not applicable.

**Partition Coefficient  
(N-Octanol/Water)**

Not available.

**Explosive properties**

Not available.

**Oxidising properties**

Not available.

**9.2. Other information**

No data available / Not applicable

**SECTION 10: STABILITY AND REACTIVITY****10.1. Reactivity**

Reacts with strong acids Reacts with strong oxidants

**10.2. Chemical stability**

Stable under the prescribed storage conditions.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

Not known.

**10.5. Incompatible materials****Materials To Avoid**

None if used properly

**10.6. Hazardous decomposition products**

Irritating organic vapours

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Toxicological information**

No information available.

**Inhalation**

Irritating to respiratory system.

**Ingestion**

This material is considered to have a low toxicity if swallowed May cause irritation to the digestive tract

**Skin contact**

Irritating to skin.

**Eye contact**

Risk of serious damage to eyes.

**SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity**

The product is not expected to be hazardous to the environment.

**12.1. Toxicity**

Low ecotoxicity

**Acute Fish Toxicity**

No further relevant information available

**12.2. Persistence and degradability**

No further relevant information available

**12.3. Bioaccumulative potential****Partition coefficient**

Not available.

**12.4. Mobility in soil****Mobility:**

No further relevant information available

**12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

**12.6. Other adverse effects**

Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**General information**

Dispose of in accordance with local and national regulations

**13.1. Waste treatment methods**

Dispose of in accordance with local and national regulations Contribution of this product to waste is very insignificant in comparison to article in which it is used After use, tubes, cartons and bottles containing residue product should be disposed of as chemically contaminated waste in a authorised legal land fill site or incinerated Disposal must be made according to official regulations

**Waste Class**

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

## SECTION 14: TRANSPORT INFORMATION

**General** Not regulated.

**Road Transport Notes** Not Classified

**Rail Transport Notes** Not classified.

**Sea Transport Notes** Not classified.

**Air Transport Notes** Not classified.

**14.1. UN number**

Not applicable.

**14.2. UN proper shipping name**

Not applicable.

**14.3. Transport hazard class(es)**

Not applicable.

**14.4. Packing group**

Not applicable.

**14.5. Environmental hazards****Environmentally Hazardous Substance/Marine Pollutant**

No.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

## SECTION 15: REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

**Health and Environmental Listings**

VOC content <3% (1999/12/EC)

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

**Date** 02/22/2013

**Risk Phrases In Full**

R34	Causes burns.
R10	Flammable.
R22	Harmful if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R36/38	Irritating to eyes and skin.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36	Irritating to eyes.
R37	Irritating to respiratory system.
R7	May cause fire.
R43	May cause sensitisation by skin contact.
R23	Toxic by inhalation.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Hazard Statements In Full**

H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H242	Heating may cause a fire.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs <<Organs>> through prolonged or repeated exposure.
H335	May cause respiratory irritation.
H331	Toxic if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations stated in the material safety data sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRENTY: all products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such here in or in other publications. All other information supplied by Bondloc is considered accurate but are furnished on the expressed condition the customer shall make its own assesment to determine the products' suitability for a particular purpose. Bondloc makes no other warrenty, either expressed or implied, including those regarding such other information, the data upon which the same is based, the results to be obtained from the use there of; that any product shall be merchantable or fit for any particular purpose; all that the use of such other information or products will not infringe any patent.