

Revision: 17.09.2014

Printing date 06.12.2014

Version number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Plastic Cleaner 3in1 RM 613
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture High pressure cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher GmbH & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden

Postfach 160 D - 71349 Winnenden

Tel.: +49-7195-14-0 *Fax:* +49-7195-14-2212

www.karcher.com

Distributor:

Kaercher (UK) Ltd.
Kaercher House
Beaumont Road
Banbury
Oxon OX16 1TB
Great Britain

Tel.: +44-1295-752-000 *Fax*: +44-1295-266-436

· Further information obtainable from:

Department PDE-D Tel.: +49-7195-14-2398 Fax: +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number: Tel.: 0049 30 30686 790 Giftnotruf Berlin

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC not applicable
- Information concerning particular hazards for human and environment:

 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)



Printing date 06.12.2014 Version number 2 Revision: 17.09.2014

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 1)

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P102 Keep out of reach of children.

P280 Wear eye protection / face protection. P264 Wash hands thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337+P313

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

· 3.2 Chemical characterisation: Mi. · Description: Cleaning agent	xtures	
· Dangerous components:		
CAS: 68411-31-4 EINECS: 270-116-6 Reg.nr.: 01-2119971970-28-XXXX	triethanolammonium C10C13-alkylbenzene sulfonate Xi R38-41 ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315	< 3.0%
· Regulation (EC) No 648/2004 on d	etergents / Labelling for contents	
anionic surfactants, non-ion (METHYLISOTHIAZOLINONE, BE	ic surfactants, perfumes, preservation agents NZISOTHIAZOLINONE)	< 5%
LIMONENE		



Printing date 06.12.2014 Version number 2 Revision: 17.09.2014

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eve contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)



Printing date 06.12.2014 Version number 2 Revision: 17.09.2014

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot 7.3 *Specific end use(s) No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

SECTION 9: Physical and chemical properties


- · 9.1 Information on basic physical and chemical properties
- · General Information
- \cdot Appearance:

Form: Colour: Fluid

· Odour:

Orange citrus-like

(Contd. on page 5)





Printing date 06.12.2014 Version number 2 Revision: 17.09.2014

Trade name: Plastic Cleaner 3in1 RM 613

	(Contd. of page
· Odour threshold:	Not determined.
· pH-value at 20 °C:	7.3
· pH-value 1 %:	7,5
· Change in condition	
Melting point/Melting range:	0 °C
Boiling point/Boiling range:	100 °C
· Flash point:	> 100 °C
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	not applicable
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	$1.008 \ g/cm^3$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient (n-octanol/wa	tter): Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic at 20 °C:	390 s (DIN 53211/4)
· Solvent content:	
Organic solvents:	0.6 %
VOC (EC)	0.06 %
Solids content:	3.9 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known
- \cdot 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)



Printing date 06.12.2014 Version number 2 Revision: 17.09.2014

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 5)

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

68411-31-4 triethanolammonium C10C13-alkylbenzene sulfonate

 Dermal
 LD50
 > 2000 mg/kg (can) (OECD 402)

 Inhalative
 LC50
 > 2000 mg/kg (Rat) (OECD 401)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · CSB-value: 34000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

(Contd. on page 7)



Printing date 06.12.2014 Version number 2 Revision: 17.09.2014

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 6)

· European waste catalogue

07 06 01* aqueous washing liquids and mother liquors

- · Uncleaned packaging:
- · Recommendation:

Packaging may be reused or recycled after cleaning.

Non contaminated packagings may be recycled.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

- $\cdot \textit{15.1 Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture} \\$
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

CD



Printing date 06.12.2014 Version number 2 Revision: 17.09.2014

Trade name: Plastic Cleaner 3in1 RM 613

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

· Department issuing MSDS: PDE-D

· Contact:

Department PDE-D Tel.: +49-7195-14-2398 Fax: +49-7195-14-3164 safetydata@karcher.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

* * Data compared to the previous version altered.

0.011-378.0

RM 613/3

1.895

GB