Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 07/08/2015 Revision date:

Version: 3.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : INSECTROL MOTH KILLER

: RENTOKIL Brand Product code : PSI37 250ml Type of product : Biocide

HSE 8546, PCS 95222 Registration No

Vaporizer Aerosol Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 1.2.1.

Intended for general public

Use of the substance/mixture : An insecticidal space and surface spray for use by amateurs for the control of moths, flies,

wasps and mosquitos in the home.

Main use category : Consumer use Use of the substance/mixture : Insecticide

1.2.2. **Uses advised against**

No additional information available

Details of the supplier of the safety data sheet

Supplier

Rentokil Initial Supplies

Liverpool L33 7SR UK

Product advice line: +44 (0)151 548 5050

Email: sds@rentokil.com

Emergency telephone number

Emergency number : +44 (0)1342 833022

Country	Organisation/Company	Address	Emergency number
IRELAND (REPUBLIC OF)	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road Dublin 9	+353 1 809 2166 (public, 8am - 10pm, 7/7)
UNITED KINGDOM	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road Birmingham B18 7QH	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H222;H229 Aerosol 1 H400 Aquatic Acute 1 Aquatic Chronic 1 H410

Full text of H-statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F+; R12 N; R50/53

Full text of R-phrases: see section 16

07/08/2015 SDS Ref.: 1214 EN (English) 1/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

Product identifier

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use P273 - Avoid release to the environment

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container to normal household waste. However if used in a place of work any product and empty container must be disposed of as controlled waste.

%

Classification according to

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Name

3.2. Mixture

			Directive 67/548/EEC
Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] substance with national workplace exposure limit(s) (GB, IE)	(CAS No) 68476-85-7 (EC no) 270-704-2 (EC index no) 649-202-00-6	>= 25	F+; R12
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics	(EC no) 926-141-6	5 - 25	Xn; R65 R66
Tetramethrin	(CAS No) 7696-12-0 (EC no) 231-711-6	0.3	N; R50/53
d-Phenothrin	(CAS No) 188023-86-1 (EC no) 247-404-5	0.15	N; R50/53
1,3-butadiene, buta-1,3-diene substance with national workplace exposure limit(s) (GB, IE)	(CAS No) 106-99-0 (EC no) 203-450-8 (EC index no) 601-013-00-X	< 0.1	F+; R12 Carc.Cat.1; R45 Muta.Cat.2; R46
Name	Product identifier	%	Classification according to
			Regulation (EC) No. 1272/2008 [CLP]
Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] substance with national workplace exposure limit(s) (GB, IE)	(CAS No) 68476-85-7 (EC no) 270-704-2 (EC index no) 649-202-00-6	>= 25	` ,
combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).]	(EC no) 270-704-2	>= 25 5 - 25	1272/2008 [CLP] Flam. Gas 1, H220
combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] substance with national workplace exposure limit(s) (GB, IE) Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2%	(EC no) 270-704-2 (EC index no) 649-202-00-6		1272/2008 [CLP] Flam. Gas 1, H220 Liquefied gas, H280
combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] substance with national workplace exposure limit(s) (GB, IE) Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics	(EC no) 270-704-2 (EC index no) 649-202-00-6 (EC no) 926-141-6 (CAS No) 7696-12-0	5 - 25	1272/2008 [CLP] Flam. Gas 1, H220 Liquefied gas, H280 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=100)

07/08/2015 EN (English) SDS Ref.: 1214 2/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures 4.1.

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Allow

breathing of fresh air. Allow the victim to rest.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

: Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/injuries

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

: Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

: Ventilate area. **Emergency procedures**

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

Reference to other sections

See also sections 8 and 13. Exposure controls and personal protection. Disposal considerations.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour.

Conditions for safe storage, including any incompatibilities

Protect from heat and direct sunlight. Keep out of reach of children. Keep only in the original Storage conditions

container in a cool well ventilated place. Keep away from food, drink and animal feedingstuffs.

Incompatible products Strong bases. Strong acids. : Sources of ignition. Direct sunlight. Incompatible materials

Specific end use(s)

Insecticide.

07/08/2015 EN (English) SDS Ref : 1214 3/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

Control parameters

Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] (68476-85-7)		
Ireland	Local name	Liquefied petroleum gas (LPG)
Ireland	OEL (8 hours ref) (mg/m³)	1800 mg/m³
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	OEL (15 min ref) (mg/m3)	2250 mg/m³
Ireland	OEL (15 min ref) (ppm)	1250 ppm
United Kingdom	Local name	Liquefied petroleum gas
United Kingdom	WEL TWA (mg/m³)	1750 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m³)	2180 mg/m³
United Kingdom	WEL STEL (ppm)	1250 ppm
United Kingdom	Remark (WEL)	Carc (only applies if LPG contains more than 0.1% of buta-1,3-diene)
1,3-butadiene, buta-1,3	-diene (106-99-0)	
Ireland	Local name	Buta-1,3-diene
Ireland	OEL (8 hours ref) (mg/m³)	2.2 mg/m³
Ireland	OEL (8 hours ref) (ppm)	1 ppm
Ireland	Notes (IE)	Carc1A, Muta1B
United Kingdom	Local name	Buta-1,3-diene
United Kingdom	WEL TWA (mg/m³)	22 mg/m³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	Remark (WEL)	Carc

Exposure controls 8.2.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : None necessary during normal handling and use. : None necessary during normal handling and use. Eye protection : None necessary during normal handling and use. Skin and body protection Respiratory protection : None necessary during normal handling and use.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colourless liquid. Colour : Colourless. Odour : fragranced. Odour threshold : No data available рΗ No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point No data available : -20 °C

Flash point

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) Extremely flammable aerosol, Non flammable

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available

07/08/2015 EN (English) SDS Ref.: 1214 4/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

Additional information : Discharge rate 1.7g/sec at 20degreesC. Net fill weight (for aerosols) 232g.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable at normal handling and storage conditions.

10.2. Chemical stability

Extremely flammable aerosol.

10.3. Possibility of hazardous reactions

The product is stable at normal handling and storage conditions.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Do not spray on naked flame or any incandescent material. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

d-Phenothrin (188023-86-1)		
LD50 oral rat	5000 mg/kg	
LD50 dermal	≥ 2000 g/kg	
LC50 inhalation rat (mg/l)	≥ 2.1 mg/l/4h	
ATE CLP (oral)	5000.000 mg/kg bodyweight	
ATE CLP (vapours)	2.100 mg/l/4h	
ATE CLP (dust,mist)	2.100 mg/l/4h	
2-Tert-butyl-cyclohexyl acetate (88-41-5)		
LD50 oral rat	4600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
ATE CLP (oral)	4600.000 mg/kg bodyweight	
Butylphenylmethylpropional (80-54-6)		
ATE CLP (oral)	500.000 mg/kg bodyweight	
4-tert-Butylcyclohexyl acetate (32210-23-4)		
LD50 oral rat	5000 mg/kg	
ATE CLP (oral)	5000.000 mg/kg bodyweight	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
ATE CLP (oral)	4500.000 mg/kg bodyweight	
4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-	2-one (14901-07-6)	
LD50 oral rat	4590 mg/kg	
ATE CLP (oral)	4590.000 mg/kg bodyweight	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg	
LD50 dermal rabbit	> 5000	
ATE CLP (oral)	3600.000 mg/kg bodyweight	
Sodium Benzoate (532-32-1)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	

07/08/2015 EN (English) SDS Ref.: 1214 5/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Sodium Benzoate (532-32-1)		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	12.2 mg/l/4h	
Sodium nitrite (7632-00-0)		
ATE CLP (oral)	100.000 mg/kg bodyweight	
Skin corrosion/irritation	: Not classified	
	Based on available data, the classification criteria are not met	
Serious eye damage/irritation	: Not classified	
	Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	: Not classified	
	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: Not classified	
	Based on available data, the classification criteria are not met	
Specific target organ toxicity (repeated	: Not classified	
exposure)	Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
-,	Based on available data, the classification criteria are not met	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information

12.1	1.	Foxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

d-Phenothrin (188023-86-1)		
LC50 fish 1	2.7 µg/l	
EC50 Daphnia 1	4.3 µg/l	
Tetramethrin (7696-12-0)		
LC50 fish 1	0.0037 mg/l	
EC50 Daphnia 1	0.11 mg/l	
LC50 other aquatic organisms 2	0.94 mg/l	
4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-2-one (14901-07-6)		
LC50 fish 1	5.09 mg/l Pimephales promelas (fathead minnow) - 96.0 h	
Geraniol (106-24-1)		
LC50 fish 1	22 mg/l Brachydanio rerio (zebra-fish)	
EC50 Daphnia 1	10.8 mg/l EC50 48h - Daphnia magna [mg/l]	
ErC50 (algae)	13.1 mg/l Desmodesmus subspicatus	

12.2. Persistence and degradability

INSECTROL MOTH KILLER	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

INSECTROL MOTH KILLER		
Bioaccumulative potential	Not established.	
4-(2,6,6-Trimethylcyclohex-1-en-1-yl)but-3-en-2-one (14901-07-6)		
Log Pow	3.012	
Geraniol (106-24-1)		
Log Pow	2.5 - 25 °C	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

07/08/2015 EN (English) SDS Ref.: 1214 6/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This product is for amateur use and can be disposed of as normal household waste. However,

if used in a place of work, any product and empty container must be disposed of as controlled

waste.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 1950

 UN-No. (IATA)
 : 1950

 UN-No. (IMDG)
 : 1950

 UN-No. (ADN)
 : 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IATA) : Aerosols, flammable
Proper Shipping Name (IMDG) : AEROSOLS
Proper Shipping Name (ADN) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

 Class (ADR)
 : 2

 Classification code (ADR)
 : 5F

 Class (IATA)
 : 2

 Class (IMDG)
 : 2

 Class (ADN)
 : 2

 Classification code (ADN)
 : 5F

 Danger labels (ADR)
 : 2.1,



Division (IATA) : 2.1 Hazard labels (IATA) : 2.1,



Danger labels (IMDG) : 2.1,



Danger labels (ADN) : 2.1,



14.4. Packing group

Not applicable

07/08/2015 EN (English) SDS Ref.: 1214 7/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes



Other information : No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Transport category (ADR) : 2
Tunnel restriction code (ADR) : D
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E0

14.6.2. Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02

Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None

Stowage and segregation (IMDG) : Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category

A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the

appropriate sub-division of class 2.

14.6.3. Air transport

CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg
PCA packing instructions (IATA) : 203
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA max net quantity (IATA) : 75kg
PCA Excepted quantities (IATA) : E0

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

14.6.4. Inland waterway transport

Special provisions (ADN) : 19, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1
Carriage prohibited (ADN) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

07/08/2015 EN (English) SDS Ref.: 1214 8/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

Type of product (Biocide)

18 - Insecticides, acaricides and products to control other arthropods

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Training advice : Use biocides safely. Always read the label and product information before use. Ensure you

have received adequate training and/or instructions before use.

Other information : None.

Full text of R-, H- and EUH-phrases:

Flam. Gas 1	Flammable gases, Category 1
Liquefied Gas	Gases under pressure : Liquefied gas
Asp. Tox. 1	Aspiration hazard, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Press. Gas	Gases under pressure
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1B	Germ cell mutagenicity, Category 1B
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H340	May cause genetic defects
H350	May cause cancer
R12	Extremely flammable
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R45	May cause cancer
R46	May cause heritable genetic damage
F+	Extremely flammable aerosol
N	Dangerous for the environment
0	Oxidising

07/08/2015 EN (English) SDS Ref.: 1214 9/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Т	Toxic
Xn	Harmful

RI - SDS EU (REACH Annex II)

Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. Neither Rentokil Initial plc nor any of its subsidiaries accepts any liability for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.

Copyright © (2015) Rentokil Initial plc, Global Science Centre, Units 7 & 8 Foundry Court, Foundry Lane, Horsham, West Sussex. RH13 5PY. United Kingdom.

Telephone: +44 (0) 1342 833022 Fax: +44 (0) 1403 214101

07/08/2015 EN (English) SDS Ref.: 1214 10/10