

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 19/12/2022 Revision date: 19/12/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier** Product form : Mixture : HG laminate cleaner shine restorer Product name Product code : 464 ART Type of product : Detergent Product group Trade product : 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Intended for general public Main use category : Consumer use 1.2.2. Uses advised against Restrictions on use : All other uses not recommended above 1.3. Details of the supplier of the safety data sheet Distributor Manufacturer HG International B.V. HG UKI LTD P.J. Oudweg 41 Weston Business Centre NL- 1314 CJ Almere Parsonage Road The Netherlands UK- CM22 6PU Takeley - Essex T +31 (0)36 54 94 700 United Kingdom safety@hg.eu - www.hg.eu T +44 (0) 1206 822 744 www.hg.eu 1.4. Emergency telephone number

Emergency number

: +31 (0)36 54 94 777 Only for medical personnel Mon-Fri 09:00 AM - 05:00 PM (CEST)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16

H319

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation. Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P264 - Wash hands thoroughly after handling. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **EUH-statements** : EUH208 - Contains triisobutyl phosphate (126-71-6) (00086), Rosin, fumarated, polymer with glycerol, ammonium salt (68554-18-7) (00305), 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction. 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
PPG-2 METHYL ETHER(34590-94-8)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PPG-2 METHYL ETHER substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	≥2 - <5	Not classified
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5	≥1 - <2	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
1-methoxy-2-propanol; monopropylene glycol methyl ether substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	≥ 0.1 – < 1	Flam. Liq. 3, H226 STOT SE 3, H336
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydroxy-	CAS-No.: 61827-42-7 EC-No.: 612-519-5	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Rosin, fumarated, polymer with glycerol, ammonium salt	CAS-No.: 68554-18-7 EC-No.: 812-691-3	≥ 0.1 – < 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 4, H413
triisobutyl phosphate	CAS-No.: 126-71-6 EC-No.: 204-798-3 REACH-no: 01-2119957118- 32	≥ 0.1 – < 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412
2-Butoxyethanol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108- 36	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT RE 2, H373
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥ 0.01 - < 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	≥ 0.001 – < 0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5	(1 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690- 50	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/effects after eye contact	: Eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equi	pment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containmen	t and cleaning up	

0 1	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling :	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures :	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including an	y incompatibilities
Storage temperature :	Store in a well-ventilated place. Keep cool. 0 – 35 °C Keep away from heat and direct sunlight.
7.3. Specific end use(s)	

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PPG-2 METHYL ETHER (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	(2-Methoxymethylethoxy)-propanol	
IOEL TWA	308 mg/m ³	
IOEL TWA [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	(2-methoxymethylethoxy) propanol	
WEL TWA (OEL TWA) [1]	308 mg/m ³	
WEL TWA (OEL TWA) [2]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
2-Butoxyethanol (111-76-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Butoxyethanol	
IOEL TWA	98 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	246 mg/m ³	
IOEL STEL [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	2-Butoxyethanol	
WEL TWA (OEL TWA) [1]	123 mg/m³	
WEL TWA (OEL TWA) [2]	25 ppm	
WEL STEL (OEL STEL)	246 mg/m³	
WEL STEL (OEL STEL) [ppm]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	2-Butoxyethanol	
BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	1-Methoxypropanol-2	
IOEL TWA	375 mg/m³	
IOEL TWA [ppm]	100 ppm	
IOEL STEL	568 mg/m³	
IOEL STEL [ppm]	150 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	1-Methoxypropan-2-ol	
WEL TWA (OEL TWA) [1]	375 mg/m³	
WEL TWA (OEL TWA) [2]	100 ppm	
WEL STEL (OEL STEL)	560 mg/m³	
WEL STEL (OEL STEL) [ppm]	150 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (OEL TWA) [1]	999 mg/m³	
WEL TWA (OEL TWA) [2]	400 ppm	
WEL STEL (OEL STEL)	1250 mg/m ³	
WEL STEL (OEL STEL) [ppm]	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Protective shoes.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Ē

Safety glasses with side shields

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields	Normal use conditions		EN 166

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Skin and body protection	
Туре	Standard
Long sleeved protective clothing	
Chemical resistant safety shoes	EN ISO 20345

Hand protection:

Protective gloves

Hand protection

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35		EN ISO 374
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.5		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Colour	: white.
Odour	: Floral.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 100 °C
Flammability	: Non flammable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosive limits	: Not available
Lower explosion limit	: 1.1 vol %
Upper explosion limit	: 14 vol %
Flash point	: > 60 °C
Auto-ignition temperature	: 207 °C
Decomposition temperature	: Not available
pH	: 8.8
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 1034 mPa.s Room temperature
Solubility	: Soluble in the following materials: cold water and hot water. Partially soluble. Methanol.
	Acetone.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.01
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate ((butylacetate=1)	:	0.02
-----------------------------	------------------	---	------

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified	
PPG-2 METHYL ETHER (34590-94-8)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PPG-2 METHYL ETHER (34590-94-8)		
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Isotridecanol, ethoxylated (69011-36-5)		
LD50 oral	> 2000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	≈ 5960 mg/kg bodyweight Animal: rabbit, Animal sex: male, Remarks on results: other:	
2-Butoxyethanol (111-76-2)		
LD50 oral	1746 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg Source: ECHA	
LD50 dermal	435 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l	
1-methoxy-2-propanol; monopropylene glyco	l methyl ether (107-98-2)	
LD50 oral	3739 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))	
LD50 dermal	> 2000 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 26315 mg/l	
triisobutyl phosphate (126-71-6)		
LD50 oral	> 5000 mg/kg bodyweight	
LD50 dermal	> 5000 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	> 5140 mg/l	
propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)	
LD50 oral rat	5840 mg/kg Source: ECHA	
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal rabbit	12800 mg/kg Source: ECHA	
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l	
2-methylisothiazol-3(2H)-one (2682-20-4)		
LD50 oral rat	66 – 105 mg/kg	
LD50 dermal rabbit	200 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l	
	Not classified pH: 8.8	
2-methylisothiazol-3(2H)-one (2682-20-4)		
рН	2.58 Temp.: 25 °C Concentration: 50 g/L	
, ,	Causes serious eye irritation. pH: 8.8	
2-methylisothiazol-3(2H)-one (2682-20-4)	• 	
рН	2.58 Temp.: 25 °C Concentration: 50 g/L	
L	1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended	53 rogalation (E67,2020010	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
2-Butoxyethanol (111-76-2)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
	Not classified	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
STOT-single exposure	May cause drowsiness or dizziness.	
propan-2-ol; isopropyl alcohol; isopropanol	(67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
PPG-2 METHYL ETHER (34590-94-8)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:	
Isotridecanol, ethoxylated (69011-36-5)		
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)	
2-Butoxyethanol (111-76-2)		
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other:	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
1-methoxy-2-propanol; monopropylene glyco	ol methyl ether (107-98-2)	
LOAEL (oral, rat, 90 days)	2757 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	919 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	
2-methylisothiazol-3(2H)-one (2682-20-4)		
LOAEL (oral, rat, 90 days)	71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: other:	
Aspiration hazard :	Not classified	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
Viscosity, kinematic	1.848 mm²/s	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Viscosity, kinematic	2.658 mm²/s	
11.2. Information on other hazards		

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	, , ,	
SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified	
(acute) Hazardous to the aquatic environment, long–term : (chronic)	Not classified	
PPG-2 METHYL ETHER (34590-94-8)		
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata	
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:	
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
NOEC (chronic)	≥ 0.5 mg/I Test organisms (species): Daphnia magna Duration: '22 d'	
Isotridecanol, ethoxylated (69011-36-5)		
LC50 - Fish [1]	> 1 mg/l	
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea	
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1	
2-Butoxyethanol (111-76-2)		
LC50 - Fish [1]	1474 mg/l	
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	1550 mg/l waterflea	
EC50 - Other aquatic organisms [2]	911 mg/l	
EC50 72h - Algae [1]	911 mg/l Source: ECHA	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	≥ 100 mg/I Test organisms (species): Oryzias latipes Duration: '14 d'	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LC50 - Fish [1]	> 4600 mg/l	
EC50 - Other aquatic organisms [1]	2954 mg/l Test organisms (species): other aquatic crustacea:	
EC50 - Other aquatic organisms [2]	> 500 mg/l	
triisobutyl phosphate (126-71-6)		
EC50 - Other aquatic organisms [1]	11 mg/l waterflea	
EC50 - Other aquatic organisms [2]	34.1 mg/l	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-methylisothiazol-3(2H)-one (2682-20-4)			
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna		
12.2. Persistence and degradability			
HG laminate cleaner shine restorer	HG laminate cleaner shine restorer		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.		
12.3. Bioaccumulative potential			
2-Butoxyethanol (111-76-2)			
Partition coefficient n-octanol/water (Log Pow)	0.8		
1-methoxy-2-propanol; monopropylene glyco	I methyl ether (107-98-2)		
Partition coefficient n-octanol/water (Log Pow)	-0.49		
triisobutyl phosphate (126-71-6)			
Partition coefficient n-octanol/water (Log Pow)	3.7		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05		
Poly(oxy-1,2-ethanediyl), α-isodecyl-ω-hydro:	xy- (61827-42-7)		
Partition coefficient n-octanol/water (Log Pow)	2.12 Source: Quantitative Structure Activity Relation		
2-methylisothiazol-3(2H)-one (2682-20-4)			
Partition coefficient n-octanol/water (Log Pow)	-0.49		
12.4. Mobility in soil			
Isotridecanol, ethoxylated (69011-36-5)			
Mobility in soil	111.3 Source: EPISUITE v4.1		
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
No additional information available			
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional logiclation (wests)	Disposed must be done according to official regulations		

Regional legislation (waste) Waste treatment methods : Disposal must be done according to official regulations.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

 HP Code
 : HP3 - "Flammable:"

 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;

 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

 - flammable solid waste: solid waste which is readily combustible or may cause or

contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20 $^\circ\text{C}$ and a standard pressure of 101.3 kPa;

- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number or ID n	number			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	zards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %: LIMONENE

Labelling of contents		
Component	%	
non-ionic surfactants, phosphates <5%		
BENZISOTHIAZOLINONE		
METHYLISOTHIAZOLINONE		
perfumes		
LIMONENE		

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute Tox. 2 (Dermai) Acute toxicly (relata). Category 2 Acute Tox. 2 (Inhitiation) Acute toxicly (relata). Category 2 Acute Tox. 3 (Dermai) Acute toxicly (relation:dust,mist) Category 3 Acute Tox. 3 (Inhitiaton) Acute toxicly (relata). Category 3 Acute Tox. 3 (Inhitiaton) Acute toxicly (relat). Category 3 Acute Tox. 4 (Oral) Acute toxicly (rel). Category 4 Acute Tox. 4 (Oral) Acute toxicly (rel). Category 4 Aquate Acute 1 Hazardous to the aquate mirronment – Acute Hazard. Category 1 Aquate Chronic 1 Hazardous to the aquate mirronment – Chronic Hazard. Category 3 Aquate Chronic 3 Hazardous to the aquate mirronment – Chronic Hazard, Category 3 Aquate Chronic 4 Hazardous to the aquate mirronment – Chronic Hazard, Category 4 Aquate Chronic 5 Hazardous to the aquate mirronment – Chronic Hazard, Category 4 Aquate Chronic 4 Hazardous to the aquate mirronment – Chronic Hazard, Category 4 EUHC05 Contains tribolacity phosphate (128-71-6) (0028). Noni, fumated, phytered, amonum salt (8854-115-7) (0028). Noni, fumated, phyterol, amonubi lequid and vapour.	Full text of H- and EUH-statements:		
Acute Tox. 2 Acute toxidy (inhalation dust, mist) Category 2 (Inhalation dust, mist) Acute toxidy (demail), Category 3 Acute Tox. 3 (Demail) Acute toxidiy (armal), Category 3 Acute Tox. 3 (Ora) Acute toxidiy (armal), Category 3 Acute Tox. 4 (Ora) Acute toxidiy (armal), Category 3 Acute Tox. 4 (Ora) Acute toxidiy (armal), Category 4 Aquatic Chronic 1 Hazardous to the aquatic environment - Acute Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 4 Hazardous to the aquatic environment - Chronic Hazard, Category 4 EVH208 Contains tribeobuly phosphate (128-71-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonium sall (08554-116-17-6) (00086), Rosin, fumated, polymer with glycerol, ammonice glycerol, polymer with glycerol, ammonium sall (08	Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
(Inhiation dust.mist) Acute toxicity (demail), Category 3 Acute Tox: 3 (Inhiation) Acute toxicity (rola), Category 3 Acute Tox: 4 (Oral) Acute toxicity (rola), Category 3 Acute Tox: 4 (Oral) Acute toxicity (rola), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Chronis triisobuly phosphale (126-71-6) (0086), Rosin, fumarated, polymer with glycerol, ammonium sall (88554- 16-7) (0036), 2-methylisobritaci/342H)-one (282-20-4) (00180), May produce an allergic reaction. Eye Dam. 1 Serious eye damageleye irritation, Category 1 Eye Int. 2 Serious eye damageleye irritation, Category 1 Flam. Liq. 2 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquids and vapour. H226 Flammable liquid and vapour. H301 Toxic ir wallowed. H310 Causes serious eye damage. H311 Cause	Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Inhalation) Acute toxicity (anal.), Category 3 Acute Tox. 3 (Oral) Acute toxicity (anal.), Category 3 Acute Tox. 4 (Oral) Acute toxicity (anal.), Category 3 Acute Tox. 4 (Oral) Acute toxicity (anal.), Category 4 Aquatic Chronic 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Contains trinsoluty phosphale (126-71-8) (00080, Rosin, fumarated paymar with glycerol, ammonium sall (88564- 18-7) (00036). 2-methylisohiaci-3(21+)-one (280-20-4) (00180, May produce an allergic reaction. Eye Dan. 1 Serious eye damage/eye initation, Category 1 Eye Inti. 2 Serious eye damage/eye initation, Category 1 Eye Inti. 2 Flammable liquid and vapour. Hazardous Highly flammable liquid and vapour. Hazardous Highly flammable liquid and vapour. Hazardous Gauses skin initation. Hasardous Causes skin initation. Hasardous Causes skin initation. Hasa		Acute toxicity (inhalation:dust,mist) Category 2	
Acute Tox. 3 (Oral) Acute toxicity (oral), Category 3 Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Contains triabulyt phosphate (126-71-6) (0036), Rosin, fumarated, polymer with glycerol, ammonium sail (88554- 18-7) (0039). Zumethytischhaze/JQH)-one (2852-20+) (00180). May produce an allergic reaction. Eye Dam. 1 Serious eye damageleye initation, Category 1 Eye Int. 2 Serious eye damageleye initation, Category 2 Flam. Liq. 2 Flammable liquid and vapour. Flam. Liq. 3 Flammable liquid and vapour. H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H312 Cause severe skin burns and eye damage. H314 Cause severe skin burns and eye damage. H315 Causes sevious eye damage eye amage. H316 Causes sevious eye damage. H317 May cause an allergic	Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 4 (Orai) Acute toxicity (orai), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Contains trilsobuty phosphate (126-71-6) (00068), Rosin, fumarated, polymer with glycerol, ammonium salt (68554-18-77) (00305), 2-methylisobhiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction. Eye Dan. 1 Serious eye damage/eye intitation, Category 1 Eye Int. 2 Serious eye damage/eye intitation, Category 2 Fiam. Liq. 3 Fiammable liquids, Category 2 Fiam. Liq. 4 Fiammable liquid and vapour. H226 Highty fiammable liquid and vapour. H301 Toxic if swallowed. H310 Fatal in contact with skin. H314 Causes servere skin burns and eye damage. H315 Causes serious eye damage. H316 Causes serious eye initiation. H317 May cause an allergic skin reaction. H318 Causes serious eye inititation.	Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Contains triabulty in boghate (126-71-6) (00066), Rosin, fumarated, polymer with glycerol, ammonium sait (86554- 18-7) (00305). Zmethylisothizzol-3(217)-one (2682-20-4) (0016), May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye initiation, Category 1 Eye Intl. 2 Serious eye damage/eye initiation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic in contact with skin. H311 Toxic in contact with skin. H314 Causes server skin burns and eye damage. H315 Causes server skin burns and eye damage. H316 Causes server eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye infration. H319 Causes serious eye infration. H310 Fatal if inhaled. H311 Toxic if inhaled.	Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Aualit Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Contains triisobutyl phosphate (126-71-6) (00086), Rosin, fumarated, polymer with glycerol, ammonium salt (68554- 18-7) (00305), 2-methyliobhiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Intl. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq, 2 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Hamful fi swallowed. H314 Causes series skin burns and eye damage. H315 Causes series skin triation. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye dimage.	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Contains triisobutyl phosphate (126-71-6) (00086); Rosin, fumarated, polymer with glycerol, ammonium salt (68554- 18-7) (00305), 2-methylisothiazol-3(2H)-one (2802-20-4) (00160). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Int. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq, 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H314 Causes series with with skin. H314 Causes series with burns and eye damage. H315 Causes series with purstation. H316 Causes and allergic skin reaction. H317 May cause an allergic skin reaction. H318 Causes series or dizziness. H319 Causes series or dizzines. H314 Toxic if inhaled. H330 Fabil ir linhaled. H330 Fabil ir linhaled. H330 Kai drowsiness or diz	Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard, Category 4 EUH208 Contains triisobutyl phosphale (126-71-6) (00086), Rosin, fumarated, polymer with glycerol, ammonium salt (68554- 18-7) (00506), 2-methylisothiazo-13(2H)-one (2882-20-4) (00180). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic ir swallowed. H302 Harmful f swallowed. H314 Causes severe skin burns and eye damage. H315 Causes severe skin burns and eye damage. H316 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye dramage. H330 Fatal if inhaled. H330 Fatal if inhaled. H330 Fatal if inhaled. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Kay cause drowages or dizziness. H331 <td>Aquatic Chronic 1</td> <td>Hazardous to the aquatic environment – Chronic Hazard, Category 1</td>	Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
EUH/208Contains triisobutyl phosphate (126-71-6) (00086), Rosin, furmarated, polymer with glycerol, ammonium salt (68654- 18-7) (00305), 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction.Eye Dam. 1Serious eye damage/eye iritation, Category 1Eye Iritl. 2Serious eye damage/eye iritation, Category 2Flam. Liq. 2Flammable liquids, Category 3Flam. Liq. 3Flammable liquid and vapour.H226Flammable liquid and vapour.H226Flammable liquid and vapour.H301Toxic if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes sevin eye damage.H316Causes sevin eye damage.H317May cause an allergic skin reaction.H318Causes sevious eye damage.H319Causes serious eye damage.H310Vayic in finaled.H330Fatal if inhaled.H330Fatal if inhaled.H331Toxic if inhaled.H332May cause drowsiness or dizziness.H333Vey toxic to aquatic life.H410Very toxic to aquatic life.H411May cause long lasting patentu effects.<	Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
18-7) (00305), 2-methylisothiazol-3(2H)-one (2682-20-4) (00180). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Flam. Liq. 3 Flammable liquid and vapour. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Flam. Liq. 3 Flam. Ind. 4 H304 Toxic if swallowed. Flam. H304 Flam. Ind. 4 Causes severe skin burns and eye damage. Flam. H314 Causes severe skin burns and eye damage. Flam. Flam. H317 May cause an allergic skin reaction. Flam. Flam. H318 Causes serious eye damage. Flam. Flam. H319 Causes serious eye damage. Flam. Flam. H319 Causes serious eye damage. Flam. Flam. H330 Cause serious eye damage. Flam. Flam. H331 Cause serious eye damage.	Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Eye Irrit. 2Serious eye damage/eye irritation, Category 2Flam. Liq. 2Flammable liquids, Category 2Flam. Liq. 3Flammable liquids, Category 3H225Highly flammable liquid and vapour.H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin inritation.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye inritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause and alergic skin reaction.H331Toxic if inhaled.H334Very toxic to aquatic life.H410Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H413Skin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	EUH208	Contains triisobutyl phosphate (126-71-6) (00086), Rosin, fumarated, polymer with glycerol, ammonium salt (68554-	
Flam. Liq. 2Flammable liquids, Category 2Flam. Liq. 3Flammable liquids, Category 3H225Highly flammable liquid and vapour.H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes serious eye damage.H316Causes serious eye damage.H319Causes serious eye irritation.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic in funded.H336May cause an allergic skin reaction.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H334May cause domsiness or dizziness.H373May cause domsiness or dizziness.H410Very toxic to aquatic life.H411Aurful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H413Skin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 3Flammable liquids, Category 3H225Highly flammable liquid and vapour.H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye irritation.H318Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H413May cause long lasting affects.H413Skin corrosion/irritation, Category 1, Sub-Category 1BSkin lirit. 2Skin corrosion/irritation, Category 2	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H225Highly flammable liquid and vapour.H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H413Skin corrosion/irritation, Category 1, Sub-Category 1BSkin lirit. 2Skin corrosion/irritation, Category 2	Flam. Liq. 2	Flammable liquids, Category 2	
H226Flammable liquid and vapour.H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause drowsiness or dizziness.H400Very toxic to aquatic life.H411Very toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.H413Skin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	Flam. Liq. 3	Flammable liquids, Category 3	
H301Toxic if swallowed.H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye irritation.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H410Very toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Kin Corr. HBSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H225	Highly flammable liquid and vapour.	
H302Harmful if swallowed.H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H316Causes severe skin burns and eye damage.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H226	Flammable liquid and vapour.	
H310Fatal in contact with skin.H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes severe skin burns and eye damage.H315Causes sevin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H410Very toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 2	H301	Toxic if swallowed.	
H311Toxic in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H302	Harmful if swallowed.	
H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H410Very toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 2	H310	Fatal in contact with skin.	
H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin corrosion/irritation, Category 2	H311	Toxic in contact with skin.	
H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H314	Causes severe skin burns and eye damage.	
H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H315	Causes skin irritation.	
H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin corrosion/irritation, Category 2	H317	May cause an allergic skin reaction.	
H330Fatal if inhaled.H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin corrosion/irritation, Category 2	H318	Causes serious eye damage.	
H331Toxic if inhaled.H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin corrosion/irritation, Category 2	H319	Causes serious eye irritation.	
H336May cause drowsiness or dizziness.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H330	Fatal if inhaled.	
H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H331	Toxic if inhaled.	
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H336	May cause drowsiness or dizziness.	
H410Very toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H373	May cause damage to organs through prolonged or repeated exposure.	
H412Harmful to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Irrit. 2Skin corrosion/irritation, Category 2	H400	Very toxic to aquatic life.	
H413 May cause long lasting harmful effects to aquatic life. Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2	H410	Very toxic to aquatic life with long lasting effects.	
Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2	H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2 Skin corrosion/irritation, Category 2	H413	May cause long lasting harmful effects to aquatic life.	
	Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Sens. 1 Skin sensitisation, Category 1	Skin Irrit. 2	Skin corrosion/irritation, Category 2	
	Skin Sens. 1	Skin sensitisation, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.