



D-Link DES-1005D Unmanaged Fast Ethernet (10/100) Black

Brand : D-Link

Product code: DES-1005D/E

Product name : DES-1005D

DES-1005D - Fast Ethernet, Duplex, 5x RJ-45, IEEE 802.3x, 2K MAC, Auto-MDIX, RoHS, Black
D-Link DES-1005D. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 1 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack



Management features		Operational conditions	
Switch type *	Unmanaged	Storage temperature (T-T)	-10 - 70 °C
Ports & interfaces		Operating relative humidity (H-H)	10 - 90%
Basic switching RJ-45 Ethernet ports quantity *	5	Storage relative humidity (H-H)	5 - 90%
Basic switching RJ-45 Ethernet ports type *	Fast Ethernet (10/100)	Heat dissipation	8.528 BTU/h
Power connector	DC-in jack	Weight & dimensions	
Network		Width	125.3 mm
Networking standards *	IEEE 802.3, IEEE 802.3u, IEEE 802.3x	Depth	83.4 mm
10G support *	✗	Height	29.1 mm
Copper ethernet cabling technology	100Base-TX, 10Base-T	Packaging content	
Cable types supported	Cat3, Cat4, Cat5, Cat5e	Cables included	AC
Full duplex	✓	User guide	✓
Flow control support	✓	Manual	✓
Auto MDI/MDI-X	✓	Packaging data	
Auto-negotiation	✓	Package width	65 mm
MAC address auto-learning supported	✓	Package depth	105 mm
Data transmission		Package height	98 mm
Supported data transfer rates	10/20/100/200 Mb/s	Package weight	170 g
Switching capacity *	1 Gbit/s	Technical details	
Forwarding rate	0.1488 Mpps	Shipping (inner) case height	23 cm
MAC address table *	2000 entries	Shipping (inner) case width	35 cm
Store-and-forward	✓	Shipping (inner) case length	51.5 cm
Maximum data transfer rate	0.2 Gbit/s	Shipping (inner) case net weight	8.5 kg
Packet buffer memory	0.046875 MB	Products per shipping (inner) case	50 pc(s)
Design		Pallet gross weight (air)	465.2 kg
Rack mounting *	✗	Master (outer) cases per pallet (air)	48 pc(s)
Stackable *	✗	Products per pallet (air)	2400 pc(s)
Product colour	Black	Pallet gross length	110 cm
LED indicators	LAN, Power	Pallet gross width	120 cm
Performance		Pallet height (air)	197.5 cm
Plug and Play	✓	Pallet gross weight (sea)	465.2 kg
Power		Master (outer) cases per pallet (sea)	48 pc(s)
Power consumption (typical)	2.5 W	Products per pallet (sea)	2400 pc(s)
		Pallet height (sea)	197.5 cm
		Shipping (inner) case gross weight	9.25 kg
		Certificates	
		Certification	RoHS, FCC, CE

Power over Ethernet (PoE)		Logistics data	
Power over Ethernet (PoE) *	✗	Harmonized System (HS) code	85176990
Other features			
Packet transfer speed	14880 - 148800 p/s		
Power LED	✓		
Operational conditions			
Operating temperature (T-T)	0 - 50 °C		



7612758090764



0790069217524



790069217524

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.